

Human Apolipoprotein E / APOE3 Protein, premium grade

Catalog # APE-H5318



BIOSYSTEMS
Acro

Features and Advantages

- Seamless Transition from Preclinical to Clinical: Same cell clone, process, and QC as GMP products.
- Enhanced Production Standards: AOF raw materials, pharma-grade excipients, Grade B+A (ISO 5) environment.
- Comprehensive Quality Control: Additional strict testing for process impurities, sterility, and mycoplasma.
- Cost-Effective Solution: GMP-comparable quality at an economical price for early development.
- Risk Mitigation: Enhanced safety through rigorous impurity control and comprehensive testing.

Synonyms

Apolipoprotein E, APOE, Apo-E

Source

Human APOE3 Protein, premium grade (APE-H5318) is expressed from CHO cells. It contains AA Lys 19 - His 317 (Accession # [P02649-1](#)).

Predicted N-terminus: Lys 19

It is produced under our rigorous quality control system that incorporates a comprehensive set of tests including sterility and endotoxin tests. Product performance is carefully validated and tested for compatibility for cell culture use or any other applications in the early preclinical stage. When ready to transition into later clinical phases, we also offer a custom GMP protein service that tailors to your needs. We will work with you to customize and develop a GMP-grade product in accordance with your requests that also meets the requirements for raw and ancillary materials use in cell manufacturing of cell-based therapies.

Molecular Characterization

APOE(Lys 19 - His 317)
P02649-1

This protein carries no "tag".

The protein has a calculated MW of 34.2 kDa. The protein migrates as 37 kDa $\pm$ 3 kDa when calibrated against [Star Ribbon Pre-stained Protein Marker](#) under reducing (R) condition (SDS-PAGE) due to glycosylation.

Endotoxin

Less than 0.01 EU per μ g by the LAL method / rFC method.

Host Cell Protein

<0.5 ng/ μ g of protein tested by ELISA.

Host Cell DNA

<0.001 ng/ μ g of protein tested by qPCR.

Sterility

Negative

Mycoplasma

Negative

Purity

>95% as determined by SDS-PAGE.

Formulation

Lyophilized from 0.22 μ m filtered solution in 20 mM MOPS, 150 mM NaCl, pH7.3 with trehalose as protectant.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

Shipping and Storage

This product is shipped at ambient temperature.

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

ACRO Quality Management System


- [QMS\(ISO, GMP\)](#)
- [Quality Advantages](#)
- [Quality Control Process](#)

Quality Description

ACRO's Research-grade products are suitable for a wide range of cell culture applications, particularly for research use in academic institutions. These products are sterilized by filtration, followed by lyophilization where applicable. Typical specifications include endotoxin levels of <0.01 EU/μg and purities >95%. Biological activity is calibrated against WHO/NIBSC standards when available.



ACRO's Premium-grade (Pre-GMP) products are characterized by their high quality and enhanced safety profiles, making them ideal for early-stage discovery and manufacturing processes in cell therapy companies. A key advantage is their seamless transition to corresponding GMP-grade versions. Biological activity is calibrated against WHO/NIBSC standards when available. Typical specifications include endotoxin levels of <0.01 EU/μg and purities >95%. In addition, rigorous testing is conducted to ensure the absence of mycoplasma, HCD, and HCP, thereby guaranteeing product safety.

SDS-PAGE



Human APOE3 Protein, premium grade on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95% (With [Star Ribbon Pre-stained Protein Marker](#)).


Bioactivity-ELISA



Immobilized Human APOE3 Protein, premium grade (Cat. No. APE-H5318) at 5 μg/mL (100 μL/well) can bind Human LDL R, Fc Tag (Cat. No. LDR-H5251) with a linear range of 0.078-2.5 μg/mL (Routinely tested).

Immobilized Human APOE3 Protein, premium grade (Cat. No. APE-H5318) at 5 μg/mL (100 μL/well) can bind Human VLDL R, His Tag (Cat. No. VLR-H5227) with a linear range of 0.078-1.25 μg/mL (Routinely tested).

Bioactivity-SPR



Human VLDL R, His Tag (Cat. No. VLR-H5227) immobilized on CM5 Chip can bind Human APOE3 Protein, premium grade (Cat. No. APE-H5318) with an affinity constant of 6.94 nM as determined in a SPR assay (Biacore8K) (QC tested).

Background

APOE is an apolipoprotein, a protein associating with lipid particles, that mainly functions in lipoprotein-mediated lipid transport between organs via the plasma and interstitial fluids. APOE is a core component of plasma lipoproteins and is involved in their production, conversion and clearance. Apolipoproteins are amphipathic molecules that interact both with lipids of the lipoprotein particle core and the aqueous environment of the plasma. As such, APOE associates with chylomicrons, chylomicron remnants, very low density lipoproteins (VLDL) and intermediate density lipoproteins (IDL) but shows a preferential binding to high-density lipoproteins (HDL). It also binds a wide range of cellular receptors including the LDL receptor/LDLR, the LDL receptor-related proteins LRP1, LRP2 and LRP8 and the very low-density lipoprotein receptor/VLDLR that mediate the cellular uptake of the APOE-containing lipoprotein particles.



www.acrobiosystems.com