

Mouse NTB-A / SLAMF6 Protein, His Tag (MALS verified)

Catalog # NTA-M52H3



BIOSYSTEMS
Acro

Synonyms

NTB-A, SLAMF6, Ly108, NK-T-B-antigen, CD352, KALI

Source

Mouse NTB-A Protein, His Tag (NTA-M52H3) is expressed from human 293 cells (HEK293). It contains AA Glu 31 - Asn 239 (Accession # [Q9ET39-1](#)).

Predicted N-terminus: Glu 31

Molecular Characterization

NTB-A(Glu 31 - Asn 239)
Q9ET39-1

Poly-his

This protein carries a polyhistidine tag at the C-terminus.

The protein has a calculated MW of 24.8 kDa. The protein migrates as 33-43 kDa when calibrated against [Star Ribbon Pre-stained Protein Marker](#) under reducing (R) condition (SDS-PAGE) due to glycosylation.

The protein is designed as a dimer.

Endotoxin

Less than 1.0 EU per µg by the LAL method / rFC method.

Purity

>95% as determined by SDS-PAGE.

>95% as determined by SEC-MALS.

Formulation

Lyophilized from 0.22 µm filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

Shipping and Storage

This product is shipped at ambient temperature.

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.


This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

ACRO Quality Management System


- [QMS\(ISO, GMP\)](#).
- [Quality Advantages](#)
- [Quality Control Process](#)

SDS-PAGE



Mouse NTB-A Protein, His Tag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95% (With [Star Ribbon Pre-stained Protein Marker](#)).

SEC-MALS



The purity of Mouse NTB-A Protein, His Tag (Cat. No. NTA-M52H3) is more than 95% and the molecular weight of this protein is around 52-67 kDa verified by SEC-MALS.

Background

The SLAM family of receptors is composed of six members named SLAM (CD150); 2B4 (CD244); Ly-9 (CD229); CD84; natural killer, T and B cell antigen (NTB-A; Ly108 in the mouse. Most, if not all, immune cell types express more than one SLAM family receptor. All six SLAM-related genes are located within a 400–500 kilobase (kb) genomic segment on chromosome 1 in humans and mice. This feature implies that the genes that encode the SLAM family were created by serial gene duplication.



www.acrobiosystems.com