

# Canine Coagulation Factor III / Tissue Factor Protein, His Tag (MALS verified)

Catalog # TF3-C52H4



BIOSYSTEMS  
**Acro**

Surprise Inside!

## Synonym

Coagulation Factor III, Tissue Factor, TF, F3, CD142

## Source

Canine Tissue Factor Protein, His Tag (TF3-C52H4) is expressed from human 293 cells (HEK293). It contains AA Thr 35 - Glu 248 (Accession # [Q4W6L5](#)).

Predicted N-terminus: Thr 35

## Molecular Characterization

TF(Thr 35 - Glu 248) Q4W6L5	Poly-his
--------------------------------	----------

This protein carries a polyhistidine tag at the C-terminus.

The protein has a calculated MW of 26.2 kDa. The protein migrates as 33-38 kDa when calibrated against [Star Ribbon Pre-stained Protein Marker](#) under reducing (R) condition (SDS-PAGE) due to glycosylation.

## Endotoxin

Less than 1.0 EU per µg by the LAL method / rFC method.

## Purity

>90% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

## Formulation

Lyophilized from 0.22 µm filtered solution in 50 mM Tris, 150 mM NaCl, pH7.5 with trehalose as protectant.

Contact us for customized product form or formulation.

## Reconstitution

Please see Certificate of Analysis for specific instructions.

**For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.**

## Storage

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

**Please avoid repeated freeze-thaw cycles.**


This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

## ACRO Quality Management System


- [QMS\(ISO, GMP\)](#)
- [Quality Advantages](#)
- [Quality Control Process](#)

## SDS-PAGE



Canine Tissue Factor Protein, His Tag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90% (With [Star Ribbon Pre-stained Protein Marker](#)).

## SEC-MALS



The purity of Canine Tissue Factor Protein, His Tag (Cat. No. TF3-C52H4) is more than 90% and the molecular weight of this protein is around 30-40 kDa verified by SEC-MALS.

## Background

Full-length tissue factor (TF) is a transmembrane receptor and cofactor for factor (F)VII/FVIIa. In addition to full-length TF, an alternative spliced (as) form of TF can be generated that lacks the transmembrane domain and is released from cells. In contrast to TF, asTF has low procoagulant activity because it lacks the transmembrane domain. Tissue factor is expressed by cells around blood vessels, such as adventitial fibroblasts, and body surfaces, such as epithelial cells, and plays a critical role in hemostasis. TF also contributes to various forms of thrombosis. Many cancers, particularly adenocarcinomas, express high levels of TF. A high level of tumor TF expression is associated with poor prognosis in many types of cancers, including breast, prostate, colorectal, and pancreatic cancer.

Discounts, Gifts,  
and more!



[www.acrobiosystems.com](http://www.acrobiosystems.com)



6/15/2026